

$$\begin{array}{ccccc}
 & \mathfrak{b} & & \mathfrak{m} & \mathfrak{E}^{\alpha} \\
 \mathfrak{H}\psi & \mathfrak{H} & \mathfrak{t} & \mathfrak{k} &
 \end{array}$$

			$\hat{A}$		
	$\mathfrak{l}$		$\mathfrak{e}$	$\mathfrak{H}$	$\mathfrak{e}$
$\mathfrak{H}$	$\mathfrak{k}$	$\mathfrak{f}$		$\mathfrak{e}$	$\hat{A}$
				$\mathfrak{e}$	
				$\mathfrak{E}$	$\mathfrak{k}$

H₂Ψ 2 Y G ~ 7

	
<p> M J HΨΨ №ч Ψ Ė χ Ψ Â HΨ Ψ 'E 9 w Â Œ Ÿ↓ ' H w ~ HΨ h M p9 χ Ψ ' </p> <p>.....</p> <p> ^ H~ κ ψ à HΨΨ ~ ĭ ă ä ø à ê'E Ĭ = ' </p> <p>.....</p>	<p> M J HΨΨ №ч Ψ Ė χ Ψ Â HΨ Ψ 'E 9 w ÂŒ Ÿ↓ ' H w ~ HΨ h M p9 χ Ψ ' </p> <p>.....</p> <p> ^ H~ κ ψ à HΨΨ ~ ĭ ä ä ø ê'E Ĭ = ' </p> <p>.....</p>
<p> M ŋ 9 HΨ Ψ Ė χ Ψ ~ HΨ h №≠ M Ė J HΨ ↓ HΨ h й Ψ ~ à ɒ ä ø ĭ ɾ ~ ´ ŋ r HÂ ~ A Â </p>	<p> M ŋ 9 HΨ Ψ Ė χ Ψ ~ HΨ h №≠ M Ė HΨ ↓ HΨ h й Ψ ~ à ɒ ä ø ĭ ɾ ~ ´ ŋ r HÂ ~ A Â </p>

$\bar{w} \sim \gamma \quad O \xi \ddot{y} \quad \hat{A}$ $H = N \circ \psi \quad \grave{a} \, \grave{y} \quad \xi \quad \hat{A}$ $\mathfrak{b} \, \psi \, H \quad \varepsilon \, \varepsilon \quad \mathfrak{T} \quad \grave{y} \, \bar{w} \quad \mathcal{A}$ $\square \quad \mathfrak{H} \, \mathfrak{a} \, \mathfrak{Y} \, \varepsilon \quad \sim \, \psi \, h \quad \neg$ $H \quad \sim \quad \mathfrak{b} \quad \sim \quad \psi$ $\mathfrak{r} \, \mathfrak{T} \quad \psi \, \mathfrak{b} \quad \mathcal{A} \quad \sim \quad \psi$ $\hat{A}$ $H \psi = \eta \, r \, H \, \mathfrak{V} \quad \square$ $\hat{A}$ $\mathfrak{b} \, \psi \, H \quad H \psi = \varepsilon \, \varepsilon \quad \hat{A}$	$\neg \quad \bar{w} \sim \gamma \quad O \xi \ddot{y} \quad \hat{A}$ $H = N \circ \psi \quad \square \quad \grave{a} \, \grave{y} \quad \xi$ $\hat{A} \, \mathfrak{b} \, \psi \, H \quad \varepsilon \, \varepsilon \quad \mathfrak{T} \quad \grave{y} \, \bar{w}$ $\mathcal{A} \quad \square \quad \mathfrak{H} \, \mathfrak{a} \, \mathfrak{Y} \, \varepsilon \quad \sim \, \psi$ $h \quad \neg \quad H \quad \sim \quad \mathfrak{b}$ $\sim \quad \psi \quad \mathfrak{r} \, \mathfrak{T} \quad \psi \, \mathfrak{b} \quad \mathcal{A}$ $\sim \quad \psi \quad \hat{A}$ $H \psi = \eta \, r \, H \, \mathfrak{V}$ $\square \quad \hat{A}$ $\mathfrak{b} \, \psi \, H \quad H \psi = \varepsilon \, \varepsilon \quad \hat{A}$
---	--

$\mathfrak{H} \, \mathfrak{V} \, \mathfrak{J} \quad H \psi \, h \quad \neg$
 $\mathfrak{b} \, \neg \, 2 \quad \psi \, \mathcal{A} \quad \hat{A} \, \psi$
 $\mathfrak{r} \quad \gamma \, \mathfrak{Y} \, \rho \quad \mathfrak{r}$
 $\dots\dots$
 $\hat{} \, \mathfrak{J} \sim \psi \quad \grave{a} \quad \beta \quad H$