



^ H~ ä v K

 |´ K ψ ~ K ψ

 ρ~ K " O~ η M

 ~ V`E~ = M Âä v K

 |´ K ψ Â

 ⋮~`E~ K ψ ⌘ ï = K ï K

η ⋮ " O~ ⋮ η M ~ V`E~ = M

 Â

 ^ ⋮⋮~ ⌘ ä ↓ ψ ï ⋮ 2´ ' `E~ № H ä H ä ⋮

2 ξ Â

 ~ ä Ъ K ⋮ ä ä ⑆ ï

ê`E~ ï || Й~ ⋮ 2 í ⌘ K ψ ⋮ Â

 K ψ Ъ ψ ρ ~ K ψ

ψ T ↓ H =~ ß ⌘ k l ⌘ v

 Â

 K ψ γ Ъ ⋮ =~ ψ

~ η γ й ~ =~ ê`E~ ï ~ Â

 ξ ' ψ ~ ~ Â

 ξ η U~ `E~ ⋮ ~ ξ = Â

= ⌘ Â K ψ = Й'

 ï

= ' □ ~ V ⌘ ψ = M

 ~ V ⌘ ψ = M



$$\psi = H \sim \bar{\psi} \psi \quad \kappa = \gamma$$

$\hat{A}$

$$H' \hat{e} \quad H \psi \quad \bar{\psi} \quad \bar{\psi} \quad \bar{\psi}$$

$$= \begin{matrix} ' & \square \\ , & \bar{\psi} \end{matrix} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$, \quad \bar{\psi} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$\sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M \quad \hat{A}$$

$$\psi = H \sim \bar{\psi} \psi \quad \kappa = \gamma$$

$\hat{A}$

$$\psi' \hat{e} \quad H \psi \quad \bar{\psi} \quad \bar{\psi} \quad \bar{\psi}$$

$$= \begin{matrix} ' & \square \\ , & \bar{\psi} \end{matrix} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$, \quad \bar{\psi} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$\sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M \quad \hat{A}$$

$$\psi = H \sim \bar{\psi} \psi \quad \kappa = \gamma$$

$\hat{A}$

$$\psi' \hat{e} \quad \bar{\psi} \quad \bar{\psi}$$

$$= \begin{matrix} ' & \square \\ , & \bar{\psi} \end{matrix} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$, \quad \bar{\psi} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$\sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M \quad \hat{A}$$

$$\psi = H \sim \bar{\psi} \psi \quad \kappa = \gamma$$

$\hat{A}$

$$\psi' \hat{e} \quad \neq \quad \bar{\psi} \quad \bar{\psi}$$

$$= \begin{matrix} ' & \square \\ , & \bar{\psi} \end{matrix} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$, \quad \bar{\psi} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M$$

$$\sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi = M \quad \hat{A}$$

$$\bar{\psi} \quad \bar{\psi} \quad \bar{\psi} = \begin{matrix} ' & \square \\ , & \bar{\psi} \end{matrix} \quad \sim \quad \bar{\psi} \quad \bar{\psi} \quad \psi \quad \bar{\psi}$$



$$\begin{aligned}
 &= M \quad , \quad \sim \vee \neq \psi \top \\
 &= M \quad , \quad \sim \vee \neq \psi \top = M \\
 &\quad \hat{A} \\
 &\quad \psi = H \sim \neq \psi \kappa = \vee \\
 &\quad \hat{A} \\
 &\quad 'E' \hat{e} \tau G \quad \tau \quad \top \\
 &= \quad ' \quad \square \quad \sim \vee \neq \psi \tau \tau \kappa = \\
 &M \quad , \quad \sim \vee \neq \psi \tau \tau \kappa \\
 &= M \quad , \quad \sim \vee \neq \psi \tau \tau \kappa \\
 &= M \quad \hat{A} \\
 &\quad \top \sim \top = \quad ' \psi' \square \quad \sim \vee \neq \psi \top \\
 &= M \quad , \quad \sim \vee \neq \psi \top \\
 &= M \quad , \quad \sim \vee \neq \psi \top = M \\
 &\quad \hat{A} \\
 &\quad \psi = H \sim \neq \psi \kappa = \vee \\
 &\quad \hat{A} \tau \kappa \quad 'E^{\sim} = \sim \top = \\
 &M \quad \tau \sim = M \quad \hat{A} \\
 &\quad \neq' \hat{e} \quad H \hat{a} \quad \top \\
 &= \quad ' \quad \square \quad \sim \vee \neq \psi = M \\
 &\quad , \quad \sim \vee \neq \psi = M \quad , \\
 &\quad \sim \vee \neq \psi = M \quad \hat{A} \\
 &\quad \top \sim \top = \quad ' \psi' \square \quad \sim \vee \neq \psi \top \\
 &= M \quad , \quad \sim \vee \neq \psi \top \\
 &= M \quad , \quad \sim \vee \neq \psi \top = M \\
 &\quad \hat{A} \\
 &\quad \psi = H \sim \neq \psi \kappa = \vee
 \end{aligned}$$



Υ: □ ~ Η = Â

ψ κ ψ = à = ¨ ê `E~ ì ê κ ψ
 † ì ξ ê `E~ ì ~ ¨ Â

•

⊙ ~ ψ κ ψ 9 ξ9 ¨ ê `E~ ì ê
 κ ψ † ì ξ ê `E~ ì ' ¤ κ ψ 2 à9 ¨ à
 h ¨ ' κ ψ = à = ¨ Â

й w ã m~ й W v
 `E U Â

^ γ й ~ й ~



^ ~ ч ê. ~ ^ ~ Н Ы ~ Г Б М
Е к п н й Ì н ~

. ^ ~ Н Ы ^ ~

^ ~ W ^ ~

~

Н Н М Ж